

Please read and save these instructions. Read through this owner's manual carefully before using product. Protect yourself and others by observing all safety information, warnings, and cautions. Failure to comply with instructions could result in personal injury and/or damage to product or property. Please retain instructions for future reference.

Deluxe Folding Weld Table

Description

The Metal Man Deluxe Folding Weld Table provides a quick and easy work surface for welding projects. Designed to quickly and easily fold up, this weld table provides a flexible work surface and is easy to store. The work surface measures 36 inches wide and 20 inches deep. In the middle of the work surface is a heavy wire grate designed to allow debris to fall through to the removable collection tray below. The Deluxe Weld Table is perfect for mobile welding applications, maintenance departments or anywhere space is a premium.




Specifications

Item	Specification
Packing Dimension (LXWXH) inch	36" x 10" x 43-1/2"
Product Dimension (LXWXH) inch	36" x 20" x 36"
Packing weight	46 lbs
Net weight	43 lbs

Assembly

- 1.1 Assemble the No.20 connecting tube to the No.1 top table
- 1.2 Assemble the No.16 short leg with the No.20 connecting tube
- 1.3 Assemble the No.13 long leg to the No.1 top table
- 1.4 Assemble the No.13 long leg to the No.16 short leg

Deluxe Folding Weld Table



Deluxe Folding Weld Table

Spare Parts List

Reference number	Description	Part number	Qty
1	Top table	1.1.03.01.1549	1
2	hexagon bolt M6*45	2.06.01.037	4
3	removable slag drawer	1.1.01.05.2828	1
4	hexagon nut M5	2.06.14.003	2
5	spring washer 5	2.06.18.003	2
6	Flat washer 5	2.06.17.003	4
7	Handle	1.1.01.05.2826	1
8	Cross crew M5*12	2.06.08.028	2
9	hexagon nut M6(lock nut)	2.06.14.811	4
10	Spring 6	2.06.18.004	4
11	thicken washer 6	2.06.17.034	4
12	Long leg	1.1.01.05.2829	1
13	spring washer M8*75	2.06.18.017	4
14	Short leg	1.1.01.05.2830	1
15	Nylon washer	2.05.06.021	4
16	flat washer 8	2.06.17.018	4
17	hexagon nut M8(lock nut)	2.06.14.823	4
18	connecting pipe	1.1.01.05.2827	1